DL23B Digital Podium

DL23B is designed to meet the basic needs in a conference room. Connecting the existing projector and sound system to DL23B is easy. In case there is not any projector, sound system, or network connection, DL23B can satisfy your needs as a stand alone product.

DL23B



DL23B Technical Specifications

Main Specifications	
Lecturer Screen	22" Multi touch capacitive touch screen
Front Screen	32" with built-in signage media player
Built-in PC for Speaker Screen	intel i3 4GB Ram, 120 SSD, Win 10 Embedded ioT
Microphone	2 pcs 18" Gooseneck Condenser Microphone
Front Ponel	001
Front Panel	32"
Resolution	1920x1080FHD
Brightness	350 cd/m2
Aspect ratio	16:9
Panel Type	IPS
Front Panel Player	Built-in Digital Signage Media Player
Front Panel Content Management Software	Available
Lecturer Panel	22"
Resolution	1920x1080 FHD
Brightness	250 cd/m2
Aspect ratio	16:9
Touch Screen Technology	Capacitive
Touch Points	10 points
Lecturer Panel PC Specifications CPU	4th Congration Intol Cara i?
	4th Generation Intel Core i3
RAM	4 GB DDR4
HDD	120 GB SSD
Operating System	Windows Embedded 10 IoT
Microphone	400
Length	18"
No of microphone	2 pcs
Output Connector	3-way XLR (Male)
Microphone Type	Cardioid
Frequency Response	50 -18 kHz
Sensitivity (at 1,000Hz)	-60dB ± 3dB
Impedance	220Ω
Power ON indicator	LED
Power requirement	2xPhantom Power (48V)
·	Za lanem of a (101)
Inputs (on Speaker Panel)	
USB	USB 2.0 X 4 (for internal PC)
Outputs (Bottom of Podium)	
HDMI	Available
Ethernet	Available
XLR for microphone	Available
USB	USB 2.0 x 2 (for internal PC)
D	
Power	
Power Input	230V 50Hz
Power Consumption	450W (max)
Peripherals & other features	
Keyboard	Wireless keyboard with Touchpad
Color	White
Packing	Wooden box export packing
Mechanical Specs	0.4.707.4.050.4.000
Outline Dimension (mm)	Set: 727 x 850 x 1086 Package: 790 x 990 x 1280
Weight (kg)	Set: 87 kg
vvoignt (kg)	Package: 137 kg
Optional features	Front screen PC
	Flight case

