



COVID19
**STAY SAFE,
STAY HEALTHY.**

**LET'S ALL
DO OUR PART**

1. Wash hands frequently with soap
2. Wear a mask in any public space
3. Cover your mouth with a tissue when coughing or sneezing
4. Get a flu shot

Hand Sanitizer Digital Signage Kiosk

Wireless Digital Signage Dispenser is a device that can display the advertising contents in image or video file, and automatically dispense the Sanitizer or Liquid Soap at the same time. Comparing to the traditional Digital Signage, this smart device can catch more target audience. The Content Management Server allows you to control all wireless digital signage by any internet-connected computer from anywhere in the world. The automatic dispenser can dispense the hand sanitizer or liquid hand soap without touch to avoid any cross-infection.

7/24
COMMERCIAL GRADE
SIGNAGE SCREEN

CONTENT MANAGEMENT
SOFTWARE

NON-CONTACT

3000ml
CAPACITY



SanWall



SanKiosk



22" | **32"**
DZ22W | DZ32W

Wall Mount
Hand Sanitizer
Digital Signage Kiosk







32" | **43"**
DZ32K | DZ43K

Free Standing
Hand Sanitizer
Digital Signage Kiosk

The whole product has a streamlined design, a sheet metal shell indoor paint, with a 22" 32" and 43" optional size Digital Signage LCD Screen with built in signage media player and content management software, The screen is covered with 4 mm tempered glass, and can support 7/24 hours of uninterrupted work, up to 50,000.Support timer switch, remote control playback, insert content.

- 3000ml Container Auto Hand Sanitizer Dispenser
- Integrated Signage Media Player
- Content Management Software
- Built in Wifi
- 7/24 Commercial Grade - Indoor
- Smart Design

Technical Specifications

MODEL NAME	SanWall 1	SanWall 2	SanKiosk 1	SanKiosk 2
MODEL NO	DZ22W	DZ32W	DZ32K	DZ43K
				

Screen Specifications

	22"	32"	32"	43"
Brand & Model No	LG 22SM3B	Samsung DM32E	Samsung DM32E	Samsung QM43N
Resolutions	1920x1080 FHD	1920x1080 FHD	1920x1080 FHD	3840 x 2160 UHD
Screen Type	Digital Signage Screen	Digital Signage Screen	Digital Signage Screen	Digital Signage Screen
Brightness	250 cd/m2	250 cd/m2	450 cd/m2	500 cd/m2
Media Player	Available	Available	Available	Available
Content Management	Available	Available	Available	Available

Disinfection Machine Configuration

Capacity	3000 ml	3000 ml	3000 ml	3000 ml
Nozzle type	Automatic Liquid induction	Automatic Liquid induction	Automatic Liquid induction	Automatic Liquid induction

Other Specifications

Caniet Type	Wall mount	Wall mount	Standalone /Free standing	Standalone /Free standing
Screen Protection Glass	4 mm extra clear, tempered	4 mm extra clear, tempered	4 mm extra clear, tempered	4 mm extra clear, tempered
Aplication Area	Indoor	Indoor	Indoor	Indoor



SanWall 1
DZ22W



SanWall 2
DZ32W



SanKiosk 1
DZ32K



SanKiosk 2
DZ43K



Guntlin Elektronik AG

Guntlin Elektronik AG Roosstrasse 53 CH-8832 Wollerau / SZ

Phone +41 (0) 55 442 35 45 | Fax +41 (0) 55 442 61 62 -

info@guntlin.ch - www.guntlin.ch - shop.guntlin.ch